



Audubon

Hog Island
Audubon Camp

Reading List - Seabird Senses

Don Lyons, Ph.D.

Dunning, J., Diamond, A.W., Christmas, S.E., Cole, E.L., Holberton, R.L., Jackson, H.J., Kelly, K.G., Brown, D., Rojas Rivera, I. and Hanley, D., 2018. Photoluminescence in the bill of the Atlantic Puffin *Fratercula arctica*. *Bird Study*, 65(4), pp.570-573. DOI: 10.1080/00063657.2018.1563771

Wilk, L. 2015. Underwater Vision in Penguins, Cormorants, and Sea Gypsies. Available online at <http://www.divephotoguide.com/underwater-photography-special-features/article/underwater-vision-penguins-cormorants-sea-gypsies/>

Kramer, G., 1952. Experiments on bird orientation. *Ibis*, 94(2), pp.265-285. DOI: 10.1111/j.1474-919X.1952.tb01817.x

Emlen, S.T., 1967. Migratory orientation in the indigo bunting, *passerina cyanea*: part i: evidence for use of celestial cues. *The Auk*, 84(3), pp.309-342. DOI: 10.2307/4083084

Emlen, S.T., 1967. Migratory orientation in the Indigo Bunting, *Passerina cyanea*. Part II: Mechanism of celestial orientation. *The Auk*, 84(4), pp.463-489. DOI: 10.2307/4083330

Reynolds, A.M., Cecere, J.G., Paiva, V.H., Ramos, J.A. and Focardi, S., 2015. Pelagic seabird flight patterns are consistent with a reliance on olfactory maps for oceanic navigation. *Proceedings of the Royal Society B: Biological Sciences*, 282(1811), DOI: 10.1098/rspb.2015.0468.

Savoca, M.S., Wohlfeil, M.E., Ebeler, S.E. and Nevitt, G.A., 2016. Marine plastic debris emits a keystone infochemical for olfactory foraging seabirds. *Science advances*, 2(11), DOI: 10.1126/sciadv.1600395.

Benson, E. 2016. The sweet scent of plastic lures seabirds to a dangerous snack. *New Scientist*. Available online at <https://www.newscientist.com/article/2112231-the-sweet-scent-of-plastic-lures-seabirds-to-a-dangerous-snack/>

Guilford, T., Freeman, R., Boyle, D., Dean, B., Kirk, H., Phillips, R. and Perrins, C., 2011. A dispersive migration in the Atlantic puffin and its implications for migratory navigation. *PLoS One*, 6(7), DOI: 10.1371/journal.pone.0021336.

Nevitt, G., Reid, K. and Trathan, P., 2004. Testing olfactory foraging strategies in an Antarctic seabird assemblage. *Journal of Experimental Biology*, 207(20), pp.3537-3544. DOI:10.1242/jeb.01198

Bonadonna, F. and Nevitt, G.A., 2004. Partner-specific odor recognition in an Antarctic seabird. *Science*, 306(5697), pp.835-835. DOI: 10.1126/science.1103001

Nevitt, G.A., Veit, R.R. and Kareiva, P., 1995. Dimethyl sulphide as a foraging cue for Antarctic procellariiform seabirds. *Nature*, 376(6542), pp.680-682. DOI: 10.1038/376680ao

Hagelin, J.C., 2007. The citrus-like scent of crested auklets: reviewing the evidence for an avian olfactory ornament. *Journal of Ornithology*, 148(2), p.195. DOI 10.1007/s10336-007-0185-6

Note: Copy DOI numbers into your search browser to read the full paper.

